

NIME

AUDIODESIGN™

ELITE ONE

ELITE ONE is designed for those who are the most demanding sound lovers and for the most important stages where a profound and powerful sound in compact dimensions is needed.

Totally handcrafted by professional craftsmen Nime adopts only High Tech materials and The crossover housing is separated by the drivers in order to avoid the electromagnetic crosstalk. The innovative and modern design is combined with the adoption of Steel and Aluminium materials providing a better acoustic performance.

NIME is available in chromed or satin steel and personalized lacquering is also available.

The dedicated stands are exclusively offered in satin or polished massive steel, and 6cm toes are also included for the decoupling from the ground.

Thanks to the easy impedance mode, ELITE ONE speakers are easily compatible with all kinds of amplifiers both transistor or valve ones.

The massive structure and considerable weight of the stand makes the combination of loudspeaker and support very stable to the benefit of sonic performance, especially in the low register.



TECHNICAL SPECIFICATIONS

Cabinet

In acciaio massiccio 10mm per un effetto lucido o satinato oppure cabinet rinforzato in sandwich di alluminio per laccature.

Tipo

2 vie reflex posteriore

Driver units

1-TW 25mm (1in) Thiel&Partner Accuton cupola in ceramica / Concave Ceramic Dome

1-BassMidrange 173mm (7in) Thiel&Partner Accuton in ceramica/ Concave Ceramic

Risposta in frequenza

42hz- 20Khz

Imp.nominale

8 Ohm, min.7 Ohm

Sensitivity

88 dB, spl (2,83v/1m)

Potenza Raccomandata

15- 120 WattsRMS

Dimensioni cabinet

310mm*270mm*430mm (Height, Widht, Depth)

Dimensioni su stand

1180mm*450mm*800mm (Height, Widht, Depth)

Finitura cabinet

Nero lucido o opaco, bianco lucido o colori personalizzati

Finitura stand

Cromo lucido o satinato, nero

Weight

45 Kg. ciascuna, versione S in acciaio 60 Kg.






ELITE TWO

The challenge is now presented with the ELITE TWO new project was to create a loudspeaker with quality technical-planning and design up to the original Elite One. So as usual NIME Audiodesign, the ELITE TWO project is a fusion of form and melody.

The quality of components is uncompromising, selected and of the highest level, nothing has been left out, such as the elegant but functional steel reinforcements thick front seats to cushion the inertia of the driver or the numerous finishing details that give a satin manually soul to its lines. Painting and polishing are the highest expression of talent craftsman "Made in Italy", a deep passion and a faultless work, a synthesis that expresses beauty.



TECHNICAL SPECIFICATIONS

Enclosure Type Woofer:

Close box

Tweeter:

3 cm Ceramic Dome

Nominal Impedance:

4 ohms nominal

Frequency Response:

34 Hz – 20 kHz +/- 3 dB

Weight per Channel:

40 Kg.

Woofer:

22 cm Hard Paper Cone

Sensitivity:

92 dB @ 1W @ 1m @ 1k

Minimum Amplifier Power:

20 Watts per channel

Enclosure Dimensions:

Height: 118 cm - Width: 50 cm - Depth: 70 cm



NIME

A U D I O D E S I G N ®

MYA

The new project Mya confirms and makes present another strong idea NIME Audiodesign, an acoustic instrument that lives in environment becomes part of it, performing the dual function of music source and a piece of furniture.

The choices of design, finishes of the new materials, the increased quality of work and care more and more manic of every little detail are, like the sonic result, the exaltation of this concept.

TECHNICAL SPECIFICATIONS

Tipo:

2 vie reflex posteriore

Drivers units:

1 Tw 25 mm cupola in ceramica

1 Mid bass 170 mm cono in ceramica

Risposta in frequenza:

40 Hz - 20 Khz

Impedenza nominale:

8 Ohm

Potenza raccomandata:

15 - 120 Watts

Finitura:

Bianco, nero piano, nero opaco
e su richiesta, Ebano, Noce, Ciliegio

Weight:

30 Kg. ciascuna

Sensitivity

88 dB, spl

Dimensioni con stand:

Height 1080 mm

Widht 280 mm

Depht 700 mm



NIME

AUDIODESIGN®

Sound Excellence Engineered, Designed and Made in Italy

The Luxury of Sound



Connettori

Top-line product made by WBT. It features the best performances for signal transmission and the best mechanical stability. The polished plating in 24 carats gold guarantees the lowest resistance in the contacts and effectively interrupts the corrosion process. The cabling is offered by Transparent Audio a prestigious USA company.



Drivers ceramici

ELITE ONE is built using the most performing dynamic speakers of the world : the T&P Accuton. In our opinion there are not better drivers available on the market at the present time. These drivers are made by ceramic membranes providing extreme rigidity, light weight and hi internal damping. For these reasons all the top Hi FI designers are adopting these drivers for top performances.



Condensatori

MUNDORF: The State of the art. These Capacitors are used by all the most famous speakers manufacturers of the world. MCAP Supreme Silver/Gold/oil. The pure Gold together with the Silver used in these capacitors maximize the electrical conductivity making the neutrality and the clearness of the sound extraordinary.



Induttanze

Mundorf is also our provider for the Inductors made of copper OFC. The purity of this particular copper, processed in an oxygen-free room, and the wire-by-wire winding make this inductor close to perfection. All these details guarantee the stability of all the parameters up to 100Khz. The passive capacitor here is particularly low. The big surface of the lamina increases also the conductivity. Thanks to all these characteristics we get a considerable gain in terms of dynamics and resolution for the details.



君庭影音工程有限公司

電話: (+852)21533372 傳真: (+852)31598467
地址: 香港上環文咸東街50號寶恒商業中心15樓1504室
電郵: info@granding.com.hk

<http://www.granding.com.hk/>